# Design Components   Prio   Status Quo	A	В	C		Ð		
rity	Attachment M-3 FERC Directive - PJM and TO Compliance Filings (3/19/2018)	+	ODEC/AMP Proposal (2/20/2018)	ODEC/AMP Proposal (4/24/2018)	Proposals by PJM SMEs (2/20/2018)	Proposals by PJM SMEs (4/24/2018)	
	[Applicable to all Supplemental projects]						
	[Not for editing or voting as this is the FERC directive(s)]						
* Implementation	the F Erro directive(3)]						
1 Coordination of End of Life Projects in the Local Planning and RTEP processes  - assumptions meeting annually at the beginning of cycle - meetings as needed for the rest of year - sub regional meetings focusing on EOL Baseline Projects as well as EOL Supplemental Projects for each TO in the region -pc, TEAC, sub regional rlep postings via PJM.com WebEx, special pc	shall be responsible for the review scho	neduled settings	PJM facilitated Sub regional Meetings on EOL Planning plus individual TO meetings. Process must include/allow for meaningful input by Stakeholders. Nothing precludes any TO from having additional stakeholder meetings or communications regarding a Local Plan that affects such stakeholders in addition to the Planning Meetings.  Assumptions Meeting: TOs provide (and PJM posts) assumptions 30 days before meeting. Stakeholder comments 15 days after meeting. 30 days after assumptions meeting, PJM provides assumptions to be used in performing the evaluation and analysis of the potential projects as well as any concerns with TO provided assumptions.  Planning Meeting(s): [To	Assumptions Meeting  1. PJM-facilitated Regional and Subregional Meetings on EOL Planning plus individual TO meetings.  2. TOs provide (and PJM posts) all TO planning criteria assumptions as well as EOL assessment methodologies and assumptions 30 days before meeting.  a) Criteria must be quantifiable and include details about associated criteria thresholds. Each TO proposing EOL driven projects must have and share an established, company-approved, public set of quantifiable criteria that can be replicated by external entities.  b) Provide asset specific scoring criteria (to facilitate prioritization during needs meeting(s)  c) For developed criteria thresholds used to justify the replacement of an asset, the TO's will provide system level averages specific to that type/class of asset to support their established criteria threshold. These system level averages will include but not be limited to any data inputs used to rank and prioritize an individual asset's replacement against another asset of same type/class located on the TO's system  3. Stakeholder comments 15 days after meeting.  4. The TOs shall provide written responses within 10 days of stakeholder comments.  5. The TOs shall provide enough information for stakeholders to made understand how assets will be prioritized for replacement, how the replacement versus maintenance decision is, how assets rank relative to other assets on the system and the system average values. The level of detail will be sufficient to enable stakeholders to replicate the TO decision-making process for EOL facilities.  6. 30 days after assumptions meeting, PJM provides assumptions to be used in performing the evaluation as well as any concerns with TO-provided assumptions.	PJM design component proposals shall be reflected within PJM Manuals. Per PJM process, stakeholders at the PC shall vote whether to modify and or implement process changes.  Note: Italicized text within PJM's proposal incorporates major portions of the TO proposed Attachment M-3.  - PJM proposes facilitated Sub regional RTEP Meetings to include EOL Planning. (note: individual TO meetings at TO discretion) - Process must include/allow for meaningful input by stakeholders Nothing precludes any TO from agreeing to have additional stakeholder meetings or communications.  Annual Assumptions Meeting(s): - Follow TEAC process and timing for baseline projects - TO's provide annual foreast of supplemental projects - TO's provide annual foreast of supplemental projects - Step 1 — TO's provide overview of material condition and asset management program - Step 2 — TOs provide (and PJM posts)	1. Follow process which is similar, though not identical to, the TEAC process and timing for baseline projects  2. TO's provide overview of material condition and asset management program as they relate to end of life.  3. TOs provide (and PJM posts) assumptions 20 calendar days in advance of scheduled SRRTEP meeting.  4. Stakeholders provide any comments regarding the criteria, assumptions, and models posted for use in the EOL study process within 10 days of the assumptions and methodology meeting to be included in the TO review and consideration of all comments received for the assumptions and methodology meeting  5. PJM shall schedule and facilitate all SRRTEP meetings.  6. With continued refinements, and to the extent possible, a uniform template shall be used by all TOs to convey the information above  7. At the SRRTEP meeting(s), stakeholders and customers should have access to basic transmission planning information necessary for them to consider future resource options (paragraph 476 of FERC Order No. 890) and impacts upon customer needs. Stakeholders may request information relevant to the TO's need determination and PJM shall provide such, or, in the instance that PJM does not possess such information, PJM shall submit the request for the relevant information to the zonal TO.  8. PJM shall facilitate the SRRTEP in a timely fashion to support the progress of the planning process.  9. TOs should coordinate their EOL processes with their yearly local reliability planning to help clarify why a more expensive solution might be brought forward that would solve both the reliability and EOL drivers.  10. The TOs should synchronize above to provide input into PJM annual system forecast needs. (Note: for each TO, it must be recognized that its needs forecast can and will change throughout the year.)  System Needs Meeting	
	shall schedule and facilitate a minimum of one Subregional		include a review of system needs and	Needs Meeting(s)  1. To include a review of system needs and	assumptions seven (7) calendar days in	PJM schedule a minimum of one Subregional RTEP	

Formatted Table

RTEP Committee meeting per planning cycle to review the resulting system needs, if any, that may drive the need for a Supplemental Project (M-3, P3). Each transmission owner will review the identified system needs and drivers of those needs based on the application of its criteria, assumptions and models that it uses to plan Supplementa Projects (M-3, P3). The transmission owner shall share and post their identified criteria violations and drivers no fewer than 10 days in advance of the Needs Meeting (M 3, P3). Stakeholders may provide comments on the criteria lations and drivers to the transmission owner for consideration prior to, at, or

The transmission owner shall review and consider comments that are received within 10 days of the Needs Meeting and may respond or provide feedback as appropriate (M-3, P3)

Solutions Meeting. No fewer than 25 days after the Needs Meeting, each Subregional RTEP Committee shall schedule and facilitate a minimum of one Subregional RTEP Committee meeting per planning cycle to review and potential solutions for the identified criteria violations (M 3, P4). share and post its potential solutions, as well as any alternatives identified by the stakeholders, no fewer than ten days in advance of the Solutions Meeting (M-3, P4). Stakeholders may provide comments on the potential solutions to the transmission owner for consideration either prior to or following the Solutions Meeting (M 3, P4). The transmission owner shall review and consider comments that are received within ten days of the meeting and may respond or provide feedback as

appropriate (M 3, P4).

drivers of needs based on methodology and to plan EOL project and alternatives considered.] -20 days prior to PJM posts all PJM or TO criteria violations; potential solutions: and. -Stakeholders provide written days for TO consideration. -TOs provide written responses prior to Local Plan

Criteria should be quantifiable and include details about associated criteria thresholds driving capital costs. Each TO proposing **EOL driven projects** established public set of quantifiable criteria established that can

include asset and final results. Criteria also assess EOL priority ranking system under study All TO facilities need to continue to be part of the

drivers of needs, based on application of TO methodology and assumptions used to plan EOL

- 2. PJM-facilitated Regional and Subregional Meetings on EOL Planning. 3. At least 25 days after the Assumptions
- 4. 10 days prior to Needs Meeting, TOs provide and PJM posts all PJM or TO system needs, Criteria Assessments and drivers.
- a) Criteria assessments must include at a minimum: asset scoring data inputs, analysis, and final results. All TO facilities need to continue to be part of the overall system level average.
- b) <u>Drivers</u> contributing to EOL determination (including performance, condition and risk) should be included. TOs will provide quantifiable values pertaining to what is driving facility selection. These values must include system level averages. As applicable, TOs shall provide documentation developed of condition assessments (e.g. photographs, engineer field reports, etc.)
- i) On an annual basis, the TOs must provide a complete list of all assets (CB, TF, Line, Station, etc.), and their relative ranking from highest priority to it establishes under lowest priority, and the associated input sections 1.3(d) and data supporting their ranked priorities, in order to discuss prioritization rather than just dealing with individual projects.
- 5. Stakeholders provide written comments within 10 days after meeting for TO consideration. 6. TOs provide written responses, including all additional information requested, prior to Solutions Meeting(s). Subsequent Solutions meetings will be deferred until all information is provided.
- 7. TOs must also identify the specific company that owns the asset being assessed and if the asset is currently a transmission or distribution asset, as well as what entity will be owning, operating and maintaining the replacement facilities.
- 8. When EOL transmission projects are replacing distribution assets, the TO also provides drivers to support a transmission improvement over a distribution improvement, including the supporting evidence that demonstrates the transmission alternative is lower in cost and/or the distribution alternative would not meet the needs. Finally, for any EOL project that is replacing a distribution facility, the TO must

advance of scheduled SRRTEP meeting.

1. Annual Review of Assumptions and Methodology. Prior to the initial scheduled in sections 1.3(d) and 1.5.6(b) of Schedule 6 of the Operating will provide to Provider for post criteria and models it uses to plan Projects. The

schedule for postings 1.5.6(b). The annually at the initial assumptions meeting. Stakeholders may either prior to or following the initial

accordance with the

PJM shall schedule and facilitate all SRRTEP meetings.

Based on assumptions, methodology, criteria, and system models (as above, TO

committee meeting no fewer than 25 days after the assumptions and methodology meeting to review the identified criteria violations and resulting system needs, if any, that may drive the need for an EOL project

- 2. TO post identified criteria violations and drivers no fewer than 10 days in advance of the Needs Meeting
- 3. Stakeholders provide comments no later than 10 days following the needs meeting for TO to review and consider so that the TO may respond or provide feedback as appropriate
- 4. TO's provide annual forecast of supplemental projects with current known information. Additional forecasts may be provided throughout the year as necessary. Drivers contributing to EOL-based need determination (such as age, performance, condition and risk) should be included from the criteria identified in the assumptions and methodology meeting.
- 5. TO representatives shall present identified system needs and drivers, ... and potential solutions being considered to

## Solutions Meeting

- 1. PJM schedule a minimum of one subregional RTEP committee solutions meeting no fewer than 25 days after the needs meeting
- 2. TO post potential solutions, with any alternatives considered, no fewer than 10 days prior to the solutions
- 3. TO to review and consider written comments received prior to or within 10 days after the solutions meeting. TO may respond or provide feedback as appropriate.
- 4. At the conclusion of the process, the TO will identify the recommended solution that will be included in the PJM Local Plan. Project selection is determined solely by TO.
- 5. Stakeholders and customers are given the opportunity to provide meaningful input and alternatives for TO consideration. Whether such input or alternatives are included in the determination of the final solution is and remains the sole decision of the TO.

## Submission of EOL Projects

- 1. TO finalize and PJM post final EOL solutions
- 2. Stakeholders may provide comments on final solutions
- 3. TO shall review and consider written comments that are received at least 10 days before the schedule, as established by PJM, for including the EOL solutions in the Local Plan and RTEP

Formatted: Highlight

finalize for submittal to P IM inclusion in the Local Plan in Agreement, Schedule 6, § 1.3 and the schedule established by PJM (M-3, P 5). Stakeholders may provide comments on the Supplemental Projects in accordance with the Operating Agreement, Schedule 6, § 1.3 before the Local Plan is

review and consider comments that are received at least ten days before the Local Plan is submitted for integration into the RTEP (M-

integrated into the RTEP (M 3,

Nothing in PJM Tariff, Attachment M 3 precludes a transmission stakeholders to hold additional etings or other ne Subregional RTEP tee process (M-3, P7).

condition and risk) should be included. TOs should provide pertaining to what is Details should be comparable to

TOs should process with their yearly local better demonstrate why a more might be brought

demonstrate that the distribution needs are

9. TOs must coordinate TO EOL process with their yearly local reliability planning to better demonstrate why a more expensive solution might be brought forward. 10. Needs meetings must occur prior to the individual TO finalizing its annual budget. 11. Nothing precludes any TO from having additional stakeholder meetings or communications regarding a Local Plan that affects such stakeholders in addition to the Planning Meetings.

## Solutions Meeting(s)

1. PJM-facilitated Regional and Subregional Meetings on EOL Planning coordinate TO EOL 2. TOs shall share and post their potential solutions, as well as any alternatives identified by the TOs or stakeholders, at least 10 days in advance of the Solutions Meeting. 3. Only EOL solutions that include the following information will be brought forward for consideration:

- a) Asset specific EOL scoring data inputs, analysis, and final results
- b) Asset specific EOL priority ranking relative to entire system under study
- c) Asset specific EOL Quantifiable values pertaining to what is driving the selection of the facility
- 4. Projects not meeting this minimum criteria can be brought forward as part of a new, TOspecific Order 890 compliant planning process.
- 5. No fewer than 25 days after the Needs Meeting but after all information requested at Needs Meeting is provided, each Regional TEAC or Subregional RTEP Committee shall schedule and facilitate a minimum of one Regional TEAC or Subregional RTEP Committee meeting to review potential solutions for the identified criteria violations (Solutions Meeting).
- 6. Stakeholders may provide comments on the potential solutions to the TO for consideration either prior to or by 10 days following the Solutions Meeting.
- 7. The TO shall review and consider comments that are received within 10 days of the meeting and shall respond or provide feedback in writing no later than 20 days after the Solutions Meeting.

## Alternative Solutions Meeting

- 8. PJM-facilitated Regional and Subregional Meetings on EOL Planning
- 9. No more than 10 days after the initial Solutions Meeting, any stakeholder shall share and PJM shall post alternative solutions remains the sole

system needs and solutions being considered to meet those needs and owners shall identify to likely solution. Drivers contributing to **EOL-based need** determination (such as age, performance, should be included.

To the extent possible, shall be used by all TOs to convey the

At the SRRTEP customers should have access to basic information necessary future resource options (paragraph 476 of FERC Order No. 890) and impacts upon request information relevant to the TO's need determination and potential solution and PJM shall provide, or, in the instance that PJM does not possess shall submit the request for the relevant information to the zonal

customers may provide alternatives for TO consideration. Whether such input or included in the final solution is and

to the TO potential solutions. discretion of the TO. 10. No more than 20 days after the alternative solutions are posted, the Regional TEAC or subregional RTEP Committee shall schedule SRRTEP in a timely and facilitate another Solutions Meeting which fashion to support the would include the Alternative Project progress of the Solutions for review and discussion. Project Finalization their EOL processes with their yearly local 11. PJM-facilitated Regional and Subregional Meetings on EOL Planning 12. No fewer than 20 days after the Alternative Solutions Meeting, the Regional TEAC or subregional RTEP Committee shall schedule another Solutions Meeting to review and discuss the TO's final decision on a solution and for the TOs to respond to questions.

13. The TOs shall share and post their proposed

Step 2 the TOs should synchronize final solution no fewer than 10 days before the Final Solutions Meeting. TOs shall provide justification and documentation for their selected solution. 14. The Regional TEAC or subregional RTEP Committee shall facilitate the Solutions Meetings to review and discuss the TO's solution and for the TOs to respond to questions. Finalization of Projects for Local Plan Needs and Potential 15. Each TO will submit to PJM EOL Projects that Tree were finalized through the Regional TEAC or will provide a review subregional RTEP committees from January through May for inclusion in the finalized PJM RTEP base case for that planning year. 16. The TOs shall provide a written response 10 days prior to the Local Plan being submitted for integration into the RTEP. 17. Projects for the Local Plan will not be final "finalized" until the conclusion of Dispute Resolution (if applicable)

Provider for posting at least five (5) business days in advance of the meeting at which they will be reviewed.
Stakeholders may provide comments on the identified system needs, drivers, and potential solutions to the Transmission Owner for consideration within thirty (30) calendar days after the meeting. At the conclusion of the process, the TO will identify the recommended solution that will be included in the PJM Local Plan. Project selection is determined solely by TO.

3. Submission of Supplemental Projects. Each Transmission Owner will finalize for submittal to the Transmission Provider Supplemental Projects for inclusion in the Local Plan in accordance with section 1.3 of Schedule 6 of the Operating Agreement and the schedule established by the Transmission Provider. Stakeholders may provide comments on the Supplemental Projects in accordance with that section before the Local Plan is integrated into the Regional Transmission Expansion Plan.

2 Openness/Transparen	<del>EOL</del>	review For Stakeholders	For Stakeholders who have completed PJM's  CFIL Population form and have executed the PJM's  CFIL Population.	PJM emphasizes that	PJM emphasizes that CEII access is granted to an individual salely for the use in examining a position and are	
су	decision making	and PJM who have approval completed PJM's	CEII Request form and have executed the PJM CEII NDA in accordance with the PJM and	to an individual solely	individual solely for the use in examining a specific need or proposed solution. The information is not to be disseminated for the attack to the control of	
	process incorporat	of criteria CEII Request form and and have executed	FERC processes for CEII as defined at 18 CFR §388.113 (c), PJM and the TOs shall make	examining a specific	further than to similarly authorized individuals and may not be utilized for any other purpose.	
	ed into protocols	guideline the PJM CEILNDA in accordance with	available the decision-making process and all information discussed above used in	need or proposed solution. The	2. TOs will review assumptions and methodology, including	Formatted: Highlight
		the PJM and FERC processes for CEII	performing the needs identification and evaluation, including, but not limited to: i) all	information is not to be disseminated further	any criteria and system models, as described in the Attachment M-3 material, relevant to their asset management	
		as defined at 18	assumptions and methodology, including any	than to similarly	programs.	
		CFR §388.113 (c), PJM shall make	criteria, guidelines, models, and supporting evidence that PJM and each TO uses to	authorized individuals and may not be utilized	3. PJM is not in a position to validate TO asset management	
		available the decision making	identify issues, develop alternatives and recommend solutions; ii) the impacts of	for any other purpose.	program(s).	
		process and all	regulatory actions, projected changes in load	TOs will review	Note: It is unclear to PJM why ownership is an issue. To	
		assumptions to be used in performing	growth, demand response resources, energy efficiency programs, price responsive demand,	assumptions and methodology, including	date, ownership information has been provided. The transmission zone location is relevant to cost allocation;	
		the evaluation, including, but not	generating additions and retirements, market efficiency and other trends in the industry; and	any criteria and system models, as described in	therefore, PJM proposes that the zone will be provided.	
		limited to: i) all	(iii) alternative sensitivity studies, modeling	Step 1 in the Attachment M 3	4. Consistent with discussion of system needs in the Attachment M-3 material, each TO will provide drivers for	
		assumptions and methodology,	assumptions and scenario analyses.  2. TOs will communicate any concerns that	material, relevant to	need.	
		including any criteria, guidelines	proposed changes or alternatives may negatively impact TO risk profile and how.	their asset management		
		and models that PJM and each TO		<del>programs.</del>		
		uses to identify		PJM is not in a position		
		issues, develop alternatives and		to validate TO asset management		
		recommend solutions; ii) the		<del>program(s).</del>		
		impacts of		Note: It is unclear to		
		regulatory actions, projected changes		PJM why ownership is an issue. To date,		
		in load growth, demand response		ownership information has been provided. The		
		resources, energy		transmission zone location is relevant to		
		efficiency programs, price responsive		cost allocation;		
		demand, generating additions and		therefore, PJM proposes that the zone		
		retirements, market efficiency and other		will be provided.		
		trends in the		Consistent with		
		industry; and (iii) alternative		discussion of system needs in Step 2 in		
		sensitivity studies, modeling		Attachment M-3 material, each TO will		
		assumptions and scenario analyses.		provide drivers for need.		
		- PJM reviews and		n <del>ood.</del>		
		validates the TO criteria,				
		assumptions, quidelines and				
		models. PJM				
		provides feedback and any concerns				
		with TO provided criteria,				
		assumptions, guidelines and				
		guidelines and				

				models.  TOs should also identify the specific company that owns the asset being assessed and if the asset is currently a transmission or distribution asset, as well as what entity will be owning, operating and maintaining the replacement facilities.  When EOL transmission projects are replacing distribution assets, the TO also provides drivers to support a transmission improvement over a distribution improvement.  TOs will communicate any concerns that proposed changes or alternatives may negatively impact TO risk profile and how.		
3	Communications		identify any facilities that TO thinks that are 5 years within EOL (asset or project list)			

4	Reference Materials	- Formula rates, FERC filings posted to PJM.com - Tabular data, construction status, cost allocation and associated filings, post TO criteria, form 715, posted TEAC whitepapers, deactivation/retirement notices, secure posting of models, special webcasts, all queue information	Information relating to each transmission owner's Supplemental Projects will be provided in accordance with and subject to the limitations set forth in the Operating Agreement, Schedule 6, § 1.5.4(e) (M-3, P6).		Subject to CEII requirements, PJM from the TOs, provides the system needs and drivers of these needs, based on the application of its methodology and assumptions used to plan EOL projects, and potential alternatives and solutions being considered to meet those needs (including whether any non- transmission alternatives considered) and drivers in sufficient detail to allow others to use the criteria when performing their own planning or screening studies and to reasonably anticipate the outcome of TOs' EOL assessments	PJM shall provide, or request from the zonal TO, planning information relevant to the specific identified EOL need.  PJM shall obtain from the TO's and share with the stakeholders the system needs and drivers of those needs, based on the application of the respective TOs methodology and assumptions used to plan EOL projects, and any potential alternatives and other solutions the TO considered to meet those needs. For the purposes of information exchange, this data is taken within the context of each TO's methodology. TOs shall provide a description of the condition of the identified facility. PJM does not have a role in	1. PJM shall provide, or request from the zonal TO, planning information relevant to the specific identified EOL need.  2. PJM shall obtain from the TO's and share with the stakeholders the system needs and drivers of those needs, based on the application of the respective TOs methodology and assumptions used to plan EOL projects, and any obtential alternatives and other solutions the TO considered to meet those needs. For the purposes of information exchange, this data is taken within the context of each TO's methodology. TOs shall provide a description of the condition of the identified facility. PJM does not have a role in asset management determination for the identified facility.  (conform with assumptions, needs and solutions from M-3)	Formatted: Highlight  Formatted: Highlight  Formatted: Highlight
						asset management determination for the identified facility.  4. Information Relating to Supplemental Projects. Information relating to Transmission Owners' Supplemental Projects will be provided in accordance with, and subject to the limitations set forth in, section 1.5.4 of Schedule 6 of the Operating		
5	Comparability			PJM and TO's agree upon guidelines how identify end of life assets	TOs treat non TO load comparably to TO-load	Agreement.		

6	Dispute Resolution	-PJM standard ADR processes in OATT and OA (process assertion for violating OATT and OA) -participate in discussion by TEAC, letters TO the board, siting proceedings by state	Disputes shall be resolved in accordance with procedures set forth in the Operating Agreement, Schedule 5		Regional and sub- regional RTEP Committee meetings. Should there be disagreement between the TO and the stakeholder regarding a Local Plan project, the committee participant will document its disagreement in writing. If the disagreement cannot be resolved informally, either stakeholder may	<ol> <li>Disputes shall be resolved in accordance with the procedures set forth at Schedule 5 of the Operating Agreement.</li> <li>This is not limited to process disputes and shall include disputes about a TO's assumptions, needs, or solution decisions to select one or more EOL Projects into the Local Plan.</li> </ol>	PJM suggests that there is opportunity for Alternative Dispute Resolution (ADR) regarding the RTEP or SRRTEP processes, however, no ADR process is identified for project selection. Project selection is determined solely by TO.	1. PJM design component proposals shall be reflected within PJM Manuals. Per PJM process, stakeholders at the PC shall vote whether to modify and or implement process changes.  2. PJM proposes facilitated Sub regional RTEP Meetings to include EQL Planning. (note: individual TO meetings at TO discretion)  3. Process must include/allow for meaningful input by stakeholders.  4. Nothing precludes any TO from agreeing to have additional stakeholder meetings or communications.  51. PJM suggests that there is opportunity for Alternative Dispute Resolution (ADR) regarding the RTEP or SRRTEP processes, however, no ADR process is identified for project selection. EQL Project selection is determined solely by TO.	For those on the phone and cannot hear, please dial back into the webex.
7	Replicability	some ability to replicate stability, short circuit, power flow - PJM working on tools to improve - ability to review but not replicate aging infrastructure analysis			utilize the standard OA ADR process. Sufficient detail describing assessment practices (in addition to modeling assumptions) that TOs use in applying criteria at a level equivalent to the Form 715 requirements to allow replication of EOL analysis.		Not applicable or required for end of life. Replicability does not apply to end of life or asset management.	Not applicable or required for end of life. Replicability does not apply to end of life or asset management.	
8	Consistency	individual TO approach to aging infrastructure based on historic practice		<del>consisten</del> p	list of potential guideline s PJM shall bevelop manual language to establish minimum requirements.		PJM shall develop manual language to establish minimum requirements related to transparency and availability of information with respect to asset management programs.	PJM shall develop manual language to establish minimum requirements related to transparency and availability of information with respect to asset management programs.	
9	Interaction with Market Efficiency Process			potential integrate market efficiency analysis into decision making related to suppleme ntal and aging infrastruct ure			Hold for market efficiency problem statement. Rolled into future market efficiency analysis by separate PJM task force.	Hold for market efficiency problem statement. Rolled into future market efficiency analysis by separate PJM task force.	
10	project reporting standards (completed? Project	-qtr. reports for RTEP projects -approx. qtr. updates to construction status		created F	enhance See AMP and ODEC template project example.		Information necessary for end of life projects: -information related to	Information necessary for end of life projects:  -information related to configuration and power flow(s) is required	

Formatted: Highlight

Formatted: Highlight

construction website)	clarify to transmissi include on costs initial (TCIC) and final cost and schedule	configuration and power flow(s) is required -information related to asset condition decision is not required -information related to asset condition decision is not required
11 PJM analytically determine need (new design component 1/24/2018)		TO provides the need, condition, and performance. PJM is not in a position to assess needs that cannot be validated through power system analysis.  TO provides the need, condition, and performance. PJM is not in a position to assess needs that cannot be validated through power system analysis.

4852-2470-5893, v. 1